Tuesday, 12/20/2005 2:50:25 PM

User:

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 25296 **Estimate Number**

: 11046

P.O. Number

First Issue

Previous Run

: NA

: 12/20/2005

This Issue Prsht Rev.

: NC

: NIM

: NIA

S.O. No. : 410

: MACHINED PARTS Type

Part Number Drawing Number

: D2814

: D2814 REV A1 : N/A

: STRUT

Project Number **Drawing Revision**

: A1 : NIA

Material **Due Date**

Drawing Name

: 1/15/2006

Qty:

10 Um: Each

10

10

Written By

Checked & Approved By

Comment

02.06.18

ABOVE USER

Added finishing level (Ref. ECN 435)

'E COMMENT BEDU

Additional Product

Job Number:



Seq. #:

1.0

2.0

3.0

Machine Or Operation:

Description:

304 RD Tube .500 x .035W

M304TR0500W035

Comment: Qty.:

2.1000 f(s)/Unit Total: 21.0000 f(s)

304 RD Tube .500 x .035W

Punch 304/316 SS Seamless Tubing 0.5" O.D. x 0.035" wall to length as per Dwg D2810 and spec control

Dwg D2727 using Jig DT8012

Batch: Mary 100 BRAKE NC

NC BRAKE

Comment: NC BRAKE

QC5

1-Length as per Dwg D2810 and spec control Dwg D2727 using Jig DT8012

2-Deburr

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

4.0

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref. 4.3.5.2) as per QSI 005 4.3

a.m 06-06

06-01-26

5.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION

Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

1.0

Dart Aerospace Ltd

W/O:		WORK ORDER CHA	NGES		• • • • • • • • • • • • • • • • • • • •		
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No):	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date: ¿	36102/20

QA: N/C Closed: ____ Date: ____

NCR:		W	WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	Verification	A					
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
06.01.12	2	STRUT Hole offer because Bolt in Jig 8012 broken	agens	Destroyed struts total Length opp. 60" replace	FF 06.01.12		GARIS				
			·	replace		06 ·02-20	-	an.10			
						·					

NOTE: Date & initial all entries

Date: Tuesday, 12/20/2005 2:50:25 PM Kim Johnston User: **Process Sheet** Drawing Name: STRUT Customer: CU-DAR001 Dart Helicopters Services Job Number: 25296 Part Number: D2814 Job Number: **Description:** Seq. #: Machine Or Operation: PACKAGING RESOURCE #1 PACKAGING 1 6.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:___ DOCUMENT CONTROL DC 7.0 Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

Dart Aerospace Ltd

W/O:			WORK ORDER CHANGES								
DATE	STEP		PR	OCEDURE CHANGE		E	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No):	·	PAR #:	Fault Category:		NCR:	Yes	No DQ	\ :	_ Date: _	

QA: N/C Closed: ____ Date: _

NCR:		W	ORK OR	DER NON-CONFORMANCE	(NCR)			
	T	Description of NC		Corrective Action Section B		Verification	Ammanal	A
DATE	STEP	TEP Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
						·		
•								/ , *.
		· · · · · · · · · · · · · · · · · · ·			•			
				·				

NOTE: Date & initial all entries





	DESIGN DRAWN BY			DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
	CHECKED, APAROVED		APAROVED	DRAWING NO.	REV. / SHEET 1 OF		
	DATE	(gro.	L	TITLE	SCALE		
	99.0	9.29	Đ.	STRUT	1:1		
	Α		99.09.29	NEW ISSUE			
	AI	ca 1	07.63.26	ADD FINISH			

Shop copy P. LURINTO

> COPY 15.

RELEASED

5.17 (REF) 4.37 PUNCH ENDS PER SPEC CONTROL DRAWING D2727

MATERIAL: 304/316/318 SS, 0.50 OD \times 0.035 WALL, ENSURE SEAMLESS TUBING IS USED

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED FINISH: POWDER COAT WHITE (4.3.5. 2) PER DART OUS 43 AL

Copyright 1999 by DART AEROSPACE LTD







DESIGN DRAWN BY		DART AEROSPACE LTD VICTORIA INTERNATIONAL AIRPORT, CANADA
CHECKED	APPROVED	DRAWING NO. REV. A D2727 SHEET 1 OF
DATE	<u> </u>	TITLE SCALE
97.11.24		PUNCH DT8012 SPEC CONTROL 2:
Α	97.11.24	NEW ISSUE
AI HOP	01. 12. 20	ADD TOLERANCE NOTE

SPECIFICATION CONTROL DRAWING FOR PUNCH DT8012







NOTE: TOLERANCES ARE PER DART OSI OIB UNLESS OTHERWISE NOTED.

